

CS 6901 Capstone Exam Systems Spring 2014: Choose any 2 of the 3 problems.

1) Rewrite

$F = a^*b^*c^*d^* \Rightarrow a^*b^*c^* + a^*b^*c^*d^* + a^*b^*c^*d^*a^* + a^*b^*c^*d^*a^*b^*c^*d^* + \dots$

3) Consider a system with 3 resources (A, B, C) in quantity (7, 7, 6). The Banker's Algorithm is used to allocate resources and it has the following SAFE state:

Available: A B C  
 1 2 2

Process	Allocation			Max			Need		
	A	B	C	A	B	C	A	B	C
P0	2	1	1	2	4	4	0	3	3
P1	1	1	2	2	4	4	1	3	2
P2	3	2	1	6	6	1	3	4	0
P3	0	1	0	0	3	2	0	2	2

- a) Justify why the current state is safe.
- b) For each part, write your choices on your solution sheet. You do not need to justify your answers.
- i) Select a process and a request of a single instance of an available resource where the request will be denied. The resource must be within the specified need for that process.

Process \_\_\_\_\_ Resource \_\_\_\_\_

- ii) Select a process and a request of a single instance of an available resource where the request will be allowed.

Process \_\_\_\_\_ Resource \_\_\_\_\_

CS 6901 Capstone Exam Data Structures and Algorithms Spring 2014  
 Choose any 2 problems.

- 1) Write the function  
`insert_double (*NodeType head, int key)`  
 to insert a new integer key into a sorted non-empty doubly linked list beginning at address head. Declare all data structures.
- 2) Write the function  
`int count2children(treeptr p);`  
 that is given a (possibly empty) binary tree and returns the number of nodes in the tree that have both a left child and a right child.
- 3) Solve the recurrence relation  $T(n) = 2T(n/2) + 5$  where  $T(1) = 1$  and  $n = 2^k$  for a nonnegative integer k. Your answer should be a precise function of n in closed form. (An asymptotic answer is not acceptable.) Justify your solution.

# Theory Exam Spring 2014

---