

Attachment Style on Information Processing

Valerie Virax

California State University, East Bay




Abstract

The purpose of the study was to see whether attachment style had an effect on Stroop latency. The measures in this study were Stroop task with four word lists (neutral, negative general, negative attachment, and positive attachment) and ECRI. We had a convenient sample of 56 adults. The participants in this study were close family and friends selected by experimenters. We expected for all groups to be similar.



Effects of Attachment Style on Information Processing

Attachment is biologically-based, behavioral system which promotes survival of a species (i.e.,






Method

Partici

An Experimental Psychology class of 14 students at California State University, East Bay was assigned to find at least 4 subjects, specifically four friends or relatives to participate in the experiment. Our final sample consisted of 56 subjects...

Materials

The Stroop test was used to measure information processing. The test consists of a list of words, some of which are color names. The participant is asked to read the words as quickly as possible. The time taken to read the words is recorded. The test is used to measure the speed of information processing and the ability to inhibit automatic responses.



References

Bartholomew, K. (1990). Avoidance of intimacy: An attachment

Bartholomew, K. (1990). Avoidance of intimacy: An attachment measurement of adult attachment: An integrative overview. In J. A. Simpson & W. S. Rholes (Eds.), *Attachment theory and relationships* (pp. 46-70). New York: Guilford Press.

Bowlby, J., & Mary Ainsworth. *Developmental Psychology*, 28(6), 759-775.

Foa, E., & Feske, U. (1991). Processing of threat-related information in rape victims. *Journal Of Abnormal Psychology*, 100(2), 111-120.